

Milwaukee®



Cable diameter (mm)	8
Cable length (m)	23
No load speed (rpm)	600 - 2200
Pipe diameter [mm]	32 - 110
Standard equipment	1x 23 m cable with 8 mm reception, 4x standard chains in kitbox (32-40 mm/ 50 mm/ 75 mm/ 110 mm), 1x 500 ml Oil, 1x set screw tool
Supplied in	No kitbox or bag supplied



Battery Option 1: £2,600 +vat

This option comes with 2x m18 12ah batteries and a charger ideal for having one battery charging at a time



Battery Option 2: £2,850 +vat

This option comes with 2x m18 Forge 12ah batteries and a charger ideal for having two batteries charging at a time with a faster charging time and a longer life of battery

Key Points:

- **Clears clogs in 32 mm (1 ¼") – 110 mm (4") pipes up to 23 m down the line**
- **Infinite variable speed from 600 – 2200 RPM for more control in the line and best wall to wall clean**
- **Integrated mechanical clutch protecting the cable when binding up**
- **Nylon coated 8 mm cable with universal reception to fit and use with most common attachment heads available on the market**
- **Electronic foot pedal and integrated drum brake that electronically slows drum super-fast for more control and safety**
- **All terrain wheels and extendable telescopic handle for easier transportation**
- **Increased durability with outer frame and easy field repairs of cables**
- **The DNA of the FUEL™ platform redefines the balance of cordless technologies. MILWAUKEE®'s POWERSTATE™ brushless motor, REDLITHIUM™ battery pack and REDLINK PLUS™ electronic intelligence delivering outstanding power, run time and durability**
- **Flexible battery system: works with all MILWAUKEE® M18™ batteries**